

· REMOVABLE APPLIANCE Rx ·

Dr. Name _____ Patient Name _____
Address _____ Phone # _____
Email _____ Deliver on _____
Enclosed with Case: ☐ Impressions ☐ Models ☐ Bite ☐ Other: _____

Dentures / Flexible Partial

- ☐ Flipper ☐ Denture ☐ Valplast ☐ Acrylic ☐ Wax setup try-in
☐ Dupe denture ☐ Custom tray ☐ Occlusal rim ☐ Finish
☐ Name on appliance _____ (Additional charge) _____

Tooth Setup: ☐ Ideal ☐ Characterized ☐ Study model
☐ Male ☐ Female Age _____

Acrylic Shade: ☐ Std G1 Ethnic: ☐ Med G3 ☐ Dark G4
Flexible Partial Shade: ☐ Lt Pink ☐ Std Pink
☐ Lt/ Dark Pink ☐ Dark Pink

Premium Brand Teeth (Extra charge applies)

Shade _____ Brand _____ Mould _____

Vitallium Metal Partial

- ☐ Vitallium 2000* ☐ Vitallium 2000 plus
☐ Peek Material ☐ Titanium ☐ Valplast / Vitallium
☐ Frame try-in ☐ Frame w/occlus. rim ☐ Frame w/setup try-in
☐ Lab select complete design ☐ Finish

Major Connector


Maxillary	Mandibular	Clasp Options	Tooth #
☐ Lab select	☐ Lab select	☐ Lab select	_____
☐ _____	☐ _____	☐ Metal	_____
Rest Areas	Tooth #	☐ Flexi clasp	_____
☐ Lab select	_____		
☐ _____	_____		

Combination Crowns & Partial

- ☐ Future RPD: __ Vitallium __ Valplast __ Attachments
☐ PFM ☐ Solid Zirconia ☐ Semi Precious PFM
☐ Six Layer Zirconia ☐ Fabricate RPD to fit restoration

Nightguards/Retainers

- ☐ Upper ☐ Lower ☐ Scan/Save File ☐ Processed acrylic
☐ Comfort H/S (hard/soft)* ☐ Comfort(hard)
☐ Semiflexible nightguard ☐ Soft nightguard
☐ Clear-Lock Retainers:
☐ quantity of 2 ☐ quantity of 4 ☐ quantity of 6
☐ Clear ortho ☐ Hawley ☐ QCM Clear-Wire



Find ceramic shade



Present tooth or stump shade



Occlusal staining

☐ None ☐ Light ☐ Medium ☐ Dark

Pontic design



Margin and metal design



Labial butt 360° Butt Junction Junction

